Volume 198, Number 1 September 2002

Editorial

Apoptosis, necrosis, or whatever: how to find out what really happens? T Aigner 1

Original Papers

***In vitro* model for the study of necrosis and apoptosis in native cartilage:** SP Grogan, B Aklin, M Frenz, T Brunner, T Schaffner and P Mainil-Varlet 5

Loss of heterozygosity for the *NF2* gene in retinal and optic nerve lesions of patients with neurofibromatosis 2: C-C Chan, CA Koch, MI Kaiser-Kupfer, DM Parry, DH Gutmann, Z Zhuang and AO Vortmeyer 14

Allotype imbalance or microsatellite mutation in low-grade soft tissue sarcomas of the extremities in adults: NH Cho, C Cordon-Cardo, GC Li and SH Kim 21

Phenotypic characterization of mononuclear and multinucleated cells of giant cell reparative granuloma of small bones: I Itonaga, E Schulze, PD Burge, CLMH Gibbons, D Ferguson and NA Athanasou 30

Transcription and alternative splicing of telomerase reverse transcriptase in benign and malignant breast tumours and in adjacent mammary glandular tissues: implications for telomerase activity: N Zaffaroni, CD Porta, R Villa, C Botti, S Buglioni, M Mottolese and MG Daidone 37

Diagnosis of chronic atrophic gastritis by morphometric image analysis. A new method to overcome the confounding effect of the inflammatory infiltrate: S Staibano, A Rocco, E Mezza, G De Rosa, G Budillon and G Nardone 47

Distinct promoter hypermethylation of *p16^{INK4a}*, *CDH1* and *RAR-beta* in intestinal, diffuse–adherent and diffuse–scattered–type gastric carcinomas: N Oue, J Motoshita, H Yokozaki, K Hayashi, E Tahara, K Taniyama, K Matsusaki and W Yasui 55

Protection of the Peyer's patch-associated crypt and villus epithelium against methotrexate-induced damage is based on its distinct regulation of proliferation: IB Renes, M Verburg, NP Bulsing, S Ferdinandusse, HA Büller, J Dekker and AWC Einerhand 60

The expression of E-cadherin and catenins in colorectal tumours from familial adenomatous polyposis patients: MA El-Bahrawy, IC Talbot, R Poulsom, R Jeffery and MR Alison 69

Neuropilin-2 is a novel marker expressed in pancreatic islet cells and endocrine pancreaic tumours: T Cohen, Y Herzog, A Brodzky, JK Greenson, S Eldar, Z Gluzman-Poltorak, G Neufeld and MB Resnick 77

Detection of N-*myc* amplification by FISH in immature areas of fixed neuroblastomas: more efficient than Southern blot/PCR: H Sartelet, L Grossi, D Pasquier, V Combaret, R Bouvier, D Ranchère, D Plantaz, M Munzer, T Philip, P Birembaut, J-M Zahm, C Bergeron, D Gailliard and B Pasquier 83

Spitz naevi may express components of the plasminogen activation system: CM Ferrier, WL van Geloof, H Straatman, FJJM van de Molengraft, GNP van Muijen and DJ Ruiter 92

p63 immunoreactivity in lung cancer: yet another player in the development of squamous cell carcinomas?: G Pelosi, F Pasini, CO Stenholm, U Pastorino, P Maisonneuve, A Sonzogni, F Maffini, G Pruneri, F Fraggetta, A Cavallon, E Roz, A Iannucci, E Bresaola and G Viale 100

Chromosome 14q LOH in localized clear cell renal cell carcinoma: K Mitsumori, JM Kittleson, N Itoh, B Delahunt, RW Heathcott, JH Stewart, MRE McCredie and AE Reeve 110

Patterns of chromosomal aberrations in urinary bladder tumours and adjacent urothelium: C Steidl, R Simon, H Bürger, C Brinkschmidt, L Hertle, W. Böcker and H-J Terpe 115

Heterogeneous expression of Ku70 in human tissues is associated with morphological and functional alterations of the nucleus: EK Choi, YH Lee, YS Choi, HM Kwon, MS Choi, JY Ro, S-K Park and E Yu 121

Letter to the Editor 131

Book Reviews 133

Announcements 135

Volume 198, Number 1 September 2002

Editorial

Apoptosis, necrosis, or whatever: how to find out what really happens? T Aigner 1

Original Papers

***In vitro* model for the study of necrosis and apoptosis in native cartilage:** SP Grogan, B Aklin, M Frenz, T Brunner, T Schaffner and P Mainil-Varlet 5

Loss of heterozygosity for the *NF2* gene in retinal and optic nerve lesions of patients with neurofibromatosis 2: C-C Chan, CA Koch, MI Kaiser-Kupfer, DM Parry, DH Gutmann, Z Zhuang and AO Vortmeyer 14

Allotype imbalance or microsatellite mutation in low-grade soft tissue sarcomas of the extremities in adults: NH Cho, C Cordon-Cardo, GC Li and SH Kim 21

Phenotypic characterization of mononuclear and multinucleated cells of giant cell reparative granuloma of small bones: I Itonaga, E Schulze, PD Burge, CLMH Gibbons, D Ferguson and NA Athanasou 30

Transcription and alternative splicing of telomerase reverse transcriptase in benign and malignant breast tumours and in adjacent mammary glandular tissues: implications for telomerase activity: N Zaffaroni, CD Porta, R Villa, C Botti, S Buglioni, M Mottolese and MG Daidone 37

Diagnosis of chronic atrophic gastritis by morphometric image analysis. A new method to overcome the confounding effect of the inflammatory infiltrate: S Staibano, A Rocco, E Mezza, G De Rosa, G Budillon and G Nardone 47

Distinct promoter hypermethylation of *p16^{INK4a}*, *CDH1* and *RAR-beta* in intestinal, diffuse–adherent and diffuse–scattered–type gastric carcinomas: N Oue, J Motoshita, H Yokozaki, K Hayashi, E Tahara, K Taniyama, K Matsusaki and W Yasui 55

Protection of the Peyer's patch-associated crypt and villus epithelium against methotrexate-induced damage is based on its distinct regulation of proliferation: IB Renes, M Verburg, NP Bulsing, S Ferdinandusse, HA Büller, J Dekker and AWC Einerhand 60

The expression of E-cadherin and catenins in colorectal tumours from familial adenomatous polyposis patients: MA El-Bahrawy, IC Talbot, R Poulsom, R Jeffery and MR Alison 69

Neuropilin-2 is a novel marker expressed in pancreatic islet cells and endocrine pancreaic tumours: T Cohen, Y Herzog, A Brodzky, JK Greenson, S Eldar, Z Gluzman-Poltorak, G Neufeld and MB Resnick 77

Detection of N-*myc* amplification by FISH in immature areas of fixed neuroblastomas: more efficient than Southern blot/PCR: H Sartelet, L Grossi, D Pasquier, V Combaret, R Bouvier, D Ranchère, D Plantaz, M Munzer, T Philip, P Birembaut, J-M Zahm, C Bergeron, D Gailliard and B Pasquier 83

Spitz naevi may express components of the plasminogen activation system: CM Ferrier, WL van Geloof, H Straatman, FJJM van de Molengraft, GNP van Muijen and DJ Ruiter 92

p63 immunoreactivity in lung cancer: yet another player in the development of squamous cell carcinomas?: G Pelosi, F Pasini, CO Stenholm, U Pastorino, P Maisonneuve, A Sonzogni, F Maffini, G Pruneri, F Fraggetta, A Cavallon, E Roz, A Iannucci, E Bresaola and G Viale 100

Chromosome 14q LOH in localized clear cell renal cell carcinoma: K Mitsumori, JM Kittleson, N Itoh, B Delahunt, RW Heathcott, JH Stewart, MRE McCredie and AE Reeve 110

Patterns of chromosomal aberrations in urinary bladder tumours and adjacent urothelium: C Steidl, R Simon, H Bürger, C Brinkschmidt, L Hertle, W. Böcker and H-J Terpe 115

Heterogeneous expression of Ku70 in human tissues is associated with morphological and functional alterations of the nucleus: EK Choi, YH Lee, YS Choi, HM Kwon, MS Choi, JY Ro, S-K Park and E Yu 121

Letter to the Editor 131

Book Reviews 133

Announcements 135

Volume 198, Number 2 October 2002

Editorial

The spectrum of review articles published by *The Journal of Pathology* **137**

Commentary

E2F1 selects tumour cells for both life and death: AH Wyllie **139**

Original Papers

Transcription factor E2F-1 acts as a growth-promoting factor and is associated with adverse prognosis in non-small cell lung carcinomas: VG Gorgoulis, P Zacharatos, G Mariatos, A Kotsinas, M Bouda, D Kletsas, PJ Asimacopoulos, N Agnantis, C Kittas and AG Papavassiliou **142**

Immunohistochemical expression of cyclin D1, E2F-1 and Ki-67 in benign and malignant thyroid lesions: AD Saiz, M Olvera, S Rezk, BA Florentine, A McCourty and RK Brynes **157**

Detection of three common translocation breakpoints in non-Hodgkin's lymphomas by fluorescence *in situ* hybridization on routine paraffin-embedded tissue sections: E Haralambieva, K Kleiverda, DY Mason, E Schuuring and PM Kluin **163**

Combined analysis of T cell receptor γ and immunoglobulin heavy chain gene rearrangements at the single-cell level in lymphomas with dual genotype: B Vergier, P Dubus, A Kutschmar, M Parrens, J Ferrer, A de Mascarel and JP Merlio .. **171**

Telomerase as a prognostic marker in breast cancer: high-throughput tissue microarray analysis of hTERT and hTr: C Poremba, B Heine, R Diallo, A Heinecke, D Wai, K-L Schaefer, Y Braun, A Schuck, C Lanvers, A Bànkfalvi, S Kneif, J Torhorst, M Zuber, OR Köchli, F Mross, H Dieterich, G Sauter, H Stein, F Fogt and W Boecker **181**

Microsatellite analysis of breast carcinoma and corresponding local recurrences: P Regitnig, R Moser, M Thalhammer, G Luschin-Ebengreuth, F Ploner, H Papadi, O Tsybrovskyy and SF Lax **190**

Quantification of CK20 gene and protein expression in colorectal cancer by RT-PCR and immunohistochemistry reveals inter- and intratumour heterogeneity: S Lassmann, M Bauer, R Soong, J Schreglmann, K Tabiti, J Nährig, R Rüger, H Höfler and M Werner **198**

Polarized distribution of carcinoembryonic antigen is associated with a tight junction molecule in human colorectal adenocarcinoma: H Tobioka, H Isomura, Y Kokai and N Sawada **207**

Frequent expression of the multi-drug resistance-associated protein BCRP/MXR/ABCP/ABCG2 in human tumours detected by the BXP-21 monoclonal antibody in paraffin-embedded material: JE Diestra, GL Scheffer, I Català, M Maliepaard, JHM Schellens, RJ Scheper, JR Germà-Lluch and MA Izquierdo **213**

Proinflammatory cytokine (TNFα/IL-1α)-induction of human osteoclast formation: O Kudo, Y Fujikawa, I Itonaga, A Sabokbar, T Torisu and NA Athanasou **220**

RANK ligand is a pre-requisite for cancer-associated osteolytic lesions: S Kitazawa and R Kitazawa **228**

Amplification of the androgen receptor gene in bone metastases from hormone-refractory prostate cancer: RSD Brown, J Edwards, A Dogan, H Payne, SJ Harland, JMS Bartlett and JRW Masters **237**

Frequent *FGFR3* mutations in urothelial papilloma: BWG van Rhijn, R Montironi, EC Zwarthoff, AC Jöbsis and TH van der Kwast **245**

Steroid hormone receptor in pleural solitary fibrous tumours and $CD34^+$ progenitor stromal cells: M Bongiovanni, L Viberti, C Pecchioni, M Papotti, R Thonhofer, HH Popper and A Sapino **252**

Metalloelastase (MMP-12) expression by tumour cells in squamous cell carcinoma of the vulva correlates with invasiveness, while that by macrophages predicts better outcome: E Kerkelä, R Ala-aho, P Klemi, S Grénman, SD Shapiro, V-M Kähäri and U Saarialho-Kere **258**

Heterogeneous expression of cell adhesion molecules by endothelial cells in ARDS: AM Muller, C Cronen, K Muller and CJ Kirkpatrick **270**

Announcements **276**

Volume 198, Number 3 November 2002

Perspective

The framework of pathology: Good Laboratory Practice by quantitative and molecular methods: JA Baak 277

Original Papers

Morphometry of dermal collagen orientation by Fourier analysis is superior to multi-observer assessment: PPM van Zuijlen, HJC de Vries, EN Lamme, JE Coppens, J van Marle, RW Kreis and E Middelkoop 284

Inter-laboratory and inter-observer reproducibility of immunohistochemical assessment of the Ki-67 labelling index in a large multi-centre trial: M Mengel, R von Wasielewski, B Wiese, T Rüdiger, HK Müller-Hermelink and H Kreipe 292

Numerical aberrations for chromosome 1 in cervical intraepithelial neoplasia are strongly associated with infection with high-risk human papillomavirus types: J Bulten, WJG Melchers, MM Kooy-Smits, PCM de Wilde, PJ Poddighe, JCM Robben, MVE Macville, LFAG Massuger, JMJE Bakkers and AGJM Hanselaar 300

Frequent expression of the Epstein-Barr virus (EBV)-induced gene, EB13, an IL-12 p40-related cytokine, in Hodgkin and Reed-Sternberg cells: G Niedobitek, D Päzolt, M Teichmann and O Devergne 310

Regulation of IGFBP-5 expression during tumourigenesis and differentiation of oral keratinocytes: S-C Lin, C-P Wang, Y-M Chen, S-Y Lu, M-J Fann, C-J Liu, S-Y Kao and K-W Chang 317

Alterations of the INK4a-ARF gene locus in pleomorphic adenoma of the parotid gland: A Weber, L Langhanki, A Schütz, C Wittekind, F Bootz and A Tannapfel 326

Genomic gain of PIK3CA and increased expression of p110alpha are associated with progression of dysplasia into invasive squamous cell carcinoma: J Woenckhaus, K Steger, E Werner, I Fenic, U Gamerdinger, T Dreyer and U Stahl 335

Gains and losses of adhesion molecules (CD44, E-cadherin and β-catenin) during oral carcinogenesis and tumour progression: A Bánkfalvi, M. Kraßort, IB Buchwalow, A Végh, E Felszeghy and J Piffko 343

The random development of LOH on chromosome 9q in superficial bladder cancers: AG van Tilborg, A de Vries, M de Bont, LE Groenfeld and EC Zwarthoff 352

Towards defining roles and relationships for tenascin-C and TGFβ-1 in the normal and neoplastic urinary bladder: C Booth, P Harnden, PJ Selby and J Southgate 359

Antimicrobial peptides are expressed and produced in healthy and inflamed human synovial membrane: F Paulsen, T Pufe, L Conradi, D Varoga, M Tsokos, J Papendieck and W Petersen 369

Multiple symmetric lipomatosis may be the consequence of defective noradrenergic modulation of proliferation and differentiation of brown fat cells: E Nisoli, L Regianini, L Briscini, A Bulbarelli, L Busetto, A Coin, G Enzi and MO Carruba 378

MAP kinase activation and apoptosis in lung tissues from patients with idiopathic pulmonary fibrosis: K Yoshida, K Kuwano, N Hagimoto, K Watanabe, T Matsuba, M Fujita, I Inoshima and N Hara 388

Transforming growth factor-β receptors in self-limited vs. chronic progressive nephritis in rats: T Watanabe, T Yamamoto, N Ikegaya, Y Fujigaki, H Suzuki, A Togawa, H Fukasawa, M Nagase and A Hishida 397

Therapeutic effect of sulphated hyaluronic acid, a potential selectin-blocking agent, on experimental progressive mesangial proliferative glomerulonephritis: M Matsuda, K Shikata, F Shimizu, Y Suzuki, M Miyasaka, H Kawachi, H Kawashima, J Wada, H Sugimoto, Y Shikata, D Ogawa, SJ Tojo, K Akima and H Makino 407

Book Review 415

Announcements 416

Volume 198, Number 4 December 2002

Original Papers

Differential expression of p63 isoforms in normal tissues and neoplastic cells: K Nylander, B Vojtesek, R Nenutil, B Lindgren, G Roos, W Zhanxiang, B Sjöström, A Dahlqvist and PJ Coates **417**

Human colorectal adenomas demonstrate a size-dependent increase in epithelial cyclooxygenase-2 expression: DJE Elder, JA Baker, NA Banu, M Moorghen and C Paraskeva **428**

Interstitial cell cyclooxygenase-2 expression is associated with increased angiogenesis in human sporadic colorectal adenomas: KS Chapple, N Scott, PJ Guillou, PL Coletta and MA Hull **435**

Hypermethylation-associated transcriptional silencing of E-cadherin in primary sporadic colorectal carcinomas: GA Garinis, PG Menounos, NE Spanakis, K Papadopoulos, G Karavitis, I Parassi, E Christeli, GP Patrinos, EN Manolis and G Peros **442**

Oestrogen receptors alpha and beta differ in normal human breast and breast carcinomas: JA Shaw, K Udokang, J-M Mosquera, H Chauhan, JL Jones and RA Walker **450**

Usual ductal hyperplasia of the breast is a committed stem (progenitor) cell lesion distinct from atypical ductal hyperplasia and ductal carcinoma *in situ*: W Boecker, R Moll, P Dervan, H Buerger, C Poremba, RI Diallo, H Herbst, A Schmidt, MM Lerch and IB Buchwallow **458**

High numbers of granzyme B/CD8-positive tumour-infiltrating lymphocytes in nasopharyngeal carcinoma biopsies predict rapid fatal outcome in patients treated with curative intent: JJ Oudejans, H Harijadi, JA Kummer, IB Tan, E Bloemena, JM Middeldorp, B Bladergroen, DF Dukers, W Vos and CJLM Meijer **468**

Mutated p53 as molecular marker for the diagnosis of head and neck cancer: VMM van Houten, MP Tabor, MWM van den Brekel, JA Kummer, F Denkers, J Dijkstra, R Leemans, I van der Waal, GB Snow and RH Brakenhoff **476**

Relative paucity of gross genetic alterations in myoepitheliomas and myoepithelial carcinomas of salivary glands: D Hungermann, K Roeser, H Buerger, T Jäkel, T Löning and H Herbst **487**

***MYCN* gene overrepresentation detected in primary neuroblastoma tumour cells without amplification:** A Valent, G Le Roux, M Barrois, M-J Terrier-Lacombe, D Valteau-Couanet, B Léon, B Spengler, G Lenoir, J Bérnard and A Bernheim **495**

Expression of the angiopoietins and their receptor Tie2 in human renal clear cell carcinomas; regulation by the von Hippel-Lindau gene and hypoxia: MJ Currie, SP Gunningham, K Turner, C Han, PAE Scott, BA Robinson, W Chong, AL Harris and SB Fox **502**

Human atherosclerotic plaques express DC-SIGN, a novel protein found on dendritic cells and macrophages: EJ Soilleux, LS Morris, J Trowsdale, N Coleman and JJ Boyle **511**

Increase in lymphoid follicles and leukocyte adhesion molecules emphasizes a role for the gut in spondyloarthropathy pathogenesis: P Demetter, JA Van Huysse, F De Keyser, N Van Damme, G Verbruggen, H Mielants, M De Vos, EM Veys and CA Cuvelier **517**

The role of heregulin-α as a motility factor and amphiregulin as a growth factor in wound healing: VRJ Schelfhout, ED Coene, B Delaey, AAT Waeytens, L De Rycke, M Deleu and CR De Potter **523**

Activation and apoptosis of macrophages in cat scratch disease: S Schweyer and A Fayyazi **534**

***In situ* localization of *Propionibacterium acnes* DNA in lymph nodes from sarcoidosis patients by signal amplification with catalysed reporter deposition:** T Yamada, Y Eishi, S Ikeda, I Ishige, T Suzuki, T Takemura, T Takizawa and M Koike **541**

Book Review **548**